epati

Hotspot Service SMS Integration

Product: Antikor v2 - Next Generation Firewall

Configuration Examples

Hotspot Service SMS Integration

Summary

Features of the hotspot network, can limit internet usage to with quotas and hours, also the ability to keep Hotspot users on a separate network.

Network Topology

Configuration

Firstly, click the Notification Settings(SMS, Email) under the System Settings menu.

There are some API's in Antikor v2.

Notification Settings

	SMS Providers	SMS Settings					

#	Name	Method	URL	Successful Response Code	Invalid Characters	Transactions	
1	İleti Merkezi	XML_POST	http://api.iletimerkezi.com/v1/send-sms	200		Edit	Delete
2	Posta Güvercini	GET	http://www.postaguvercini.com/api_http/sendsms.asp	200		Edit	Delete
3	TTMesaj_GET	GET	http://xml.ttmesaj.com/SENDSMS/sendsmsget.aspx	OK		Edit	Delete
4	TTMesaj_XML	XML_POST	http://ws.ttmesaj.com/service1.asmx?wsdl	OK		Edit	Delete
5	Dakik Sms	XML_POST	http://www.dakikapi.com/api/xml_api_ileri.php	OK		Edit	Delete

If the API settings of the SMS Provider you are using are available, the Add button is clicked on the SMS Settings page.

Notification Settings

	SMS Providers	SMS Settings			

#	Provider Name	Username	Password	Sender Header	Transactions

Notification Settings - New Record ✕

SMS Provider	İleti Merkezi ▾
Username	
Password	
Sender Header	

⊘ Cancel   🖫 Save

Firstly, choose **SMS Provider**. Enter **Username** and **Password** this information is the information that was given to by your SMS provider. **Sender Header** is the tittle of the message.

Notification Settings - New Record ✕

SMS Provider	İleti Merkezi ▾
Username	epati
Password	●●●●●●●●●●●●●●●●
Sender Header	Epati Information Tech

⊘ Cancel   🖫 Save

Note: If your SMS provider is not available on the list, click "Add" button in the page SMS Provider.

Notification Settings

SMS Providers	SMS Settings

🔄 Reload   + Add

#	Name	Method	URL	Successful Response Code	Invalid Characters	Transactions
1	İleti Merkezi	XML_POST	http://api.iletimerkezi.com/v1/send-sms	200		✎ Edit 🗑 Delete
2	Posta Güvercini	GET	http://www.postaguvercini.com/api_http/sendsms.asp	200		✎ Edit 🗑 Delete
3	TTMesaj_GET	GET	http://xml.ttmesaj.com/SENDSMS/sendsmsget.aspx	OK		✎ Edit 🗑 Delete
4	TTMesaj_XML	XML_POST	http://ws.ttmesaj.com/service1.asmx?wsdl	OK		✎ Edit 🗑 Delete
5	Dakik Sms	XML_POST	http://www.dakikapi.com/api/xml_api_ileri.php	OK		✎ Edit 🗑 Delete

After entering the information, a new sms provider record is created by clicking on the save button. Contact

your SMS provider for required information.

**Notification Settings - New Record**   ✕

Name	
Method	GET ▼
URL	http://
Form Data	
Response Data	
Successful Response Code	
Invalid Characters	

⊘ Cancel   💾 Save

After completing the steps above, entered Identity Provider Definitions under the Authentication Rules menu.

☑ **Authentication Rules**   ⌄

Identity Provider Definitions

Local Users

Verification Rules

Authentication Test Screen

Session Users

Click Add button of on the page opened.

Identity Provider Definitions   ⟳ Reload ➕ Add

#	Status	Provider Type	Name	Domain	Transactions

« ‹ 1 › »

Then fill in the information as shown in the picture and click the Save button.

Then again, click the Verification Rules under the Authentication Rules menu.

The following operations are performed in order.

A phone number is required for verification.

Antikor v2.0

| Phone Number | (__) __ __ __ |

Giriş

ePati Information Technology

A confirmation code will be sent to the phone number. the this code must be entered in the confirmation code field on the page.

Antikor v2.0

| Confirmation Code | |

Giriş

ePati Information Techonology

Hotspot Client Screen

User: 900　　　　　　　**Active IP(s):** 10.2.1.12

used at the session　　　　　　**used at teh period**
1 saniye　　　　　　　　　　　1 saniye
0 B　　　　　　　　　　　　　0 B

Remaining Quota　　　　　　　**Remaining to be reset**
Unlimited Time　　　　　　　　13 saat, 33 dakika, 44 saniye
Unlimited Size

Transfer screen to small window

Close all sessions