

# epati

## Proxy Service POP3/IMAP Authentication Integration

Product: Antikor v2 - Next Generation Firewall  
Configuration Examples

# Proxy Service POP3/IMAP Authentication Integration


## Summary

**IMAP** allows you to access your e-mail from anywhere and from any device. When you read your e-mail using IMAP, you won't actually download or store the e-mail on your computer; you be reading it from the e-mail service.

As a result, you can check your e-mail from different devices around the world, such as your phone, your computer, or your friend's computer. IMAP downloads the message you clicked and attachments are not downloaded automatically.


**Pop** works by contacting your email service and downloading all your new e-mail from there. After they are these downloaded to your computer, they are deleted from the e-mail service. After downloading the e-mail can only be accessed using the same computer. If you try to access your e-mail from a different device, you will not receive email that have been downloaded before. Sent mail is stored locally on your computer, not on the e-mail server.

## Network Topology



## Configuration

1) Firstly, click the Identity Provider Definitions under the Authentication Rules menu.



2) Click the Add button to enter the required information about the POP3 / IMAP server.

### Identity Provider Definitions - New Record

**Status**  Active

**Provider Type** POP3/IMAP

**Name** Epati POP3 Server

User and Domain together

**Domain** epati.com.tr

**Server Address** 192.168.254.3

**Protocol** POP3

**Port** 110

**Number of Trial** 1

SSL

TLS

3) Click the Verification Rules under the Authentication Rules menu. Then go to the proxy tab and the following operations are performed in sequence.

Authentication Rules

Hotspot **1** Proxy Registration Service LZTP / PPTP VPN RADIUS Client Change Form

**1** **2** Providers POP3/IMAP

##	Name	Domain	In Use		Name	Provider Type	Domain	Transactions
<b>3</b>	Epati POP3 Server	epati.com.tr	Yes	<b>4</b>	Epati POP3 Server	POP3/IMAP	epati.com.tr	Delete ↑ ↓

3) For testing, click to the Authentication Test page.

Since for Proxy service has been assigned the Authentication method Proxy are selected. After entering the username and password registered on the server, the Verify button are clicked.

Authentication Test Screen

Service Name

Proxy

Username

proxy

Password

\*\*\*\*\*

Verify

Authentication Test Screen

Service Name

Select...

Verify

Your login has been successful.

**ePati Cyber Security Technologies Inc.**  
Mersin Universitesi Ciftlikkoy Kampusu  
Teknopark Idari Binasi Kat: 4 No: 411  
Zip Code: 33343 Yenisehir / MERSIN / TURKIYE

 [www.epati.com.tr](http://www.epati.com.tr)  
 [info@epati.com.tr](mailto:info@epati.com.tr)  
 +90 324 361 02 33  
 +90 324 361 02 39

