

epati

HTTPS Control Settings

Product: Antikor v2 - Next Generation Firewall
Guides

HTTPS Control Settings

Provides filtering of HTTPS pages.

Connection Settings

Description

It is communicated with the original certificate without changing the SSL Certificate of domains defined as SNI. For this reason, SSL traffic can not be deciphered and drilled in the related domains. It may be filtered with respect to domains. This feature should be used on sites such as banks which contain critical data and may lead to the violation of privacy policies.

Connection Settings Working Mode by Source Address Web Pages to Run in SNI Mode Web Pages to Work in Certificate Change Mode

HTTP Inspection Settings

HTTP Inspection Ports:

Automatic Detection:

For the automatic detection feature to work, the Application Security / IPS engine must be running and HTTP inspection must be enabled in the Application Security / IPS settings.

HTTPS Inspection Settings

HTTPS Inspection Ports:

Automatic Detection:

For the automatic detection feature to work, the Application Security / IPS engine must be running and HTTP inspection must be enabled in the Application Security / IPS settings.

TLS Settings

TLS Settings Between Client and Antikor

Block Weak SSL Encryption Algorithms:

Minimum TLS Version Supported:

SSLv3 Support:

TLS Settings Between Antikor and Server

Block Weak SSL Encryption Algorithms:

Minimum TLS Version Supported:

SSLv3 Support:

Https is the section where the page connection settings are made.

HTTP Inspection Settings	Description
HTTP Inspection Settings	The HTTP port is written.
Automatic Detection	Activated for automatic detection

HTTPS Inspection Settings	Description
HTTPS Inspection Settings	The HTTP port is written.
Automatic Detection	Activated for automatic detection

TLS Settings Between Client and Antikor	Description
Block Weak SSL Encryption Algorithms	If pages with a weak SSL algorithm are requested to be blocked, the service is activated.
Minimum TLS Version Supported	Select the TLS version to which access will be allowed.
SSLv3 Support	The service is activated to open the support.

TLS Settings Between Antikor and Server	Description
Block Weak SSL Encryption Algorithms	If pages with a weak SSL algorithm are requested to be blocked, the service is activated.
Minimum TLS Version Supported	Select the TLS version to which access will be allowed.
SSLv3 Support	The service is activated to open the support.

Note : For the automatic detection feature to work, the Application Security / IPS engine must be running and HTTP inspection must be enabled in the Application Security / IPS settings.

Working Mode by Source Address

Default mode, can be specified according to source addresses.

Description

It is communicated with the original certificate without changing the SSL Certificate of domains defined as SNI. For this reason, SSL traffic can not be deciphered and drilled in the related domains. It may be filtered with respect to domains. This feature should be used on sites such as banks which contain critical data and may lead to the violation of privacy policies.

Connection Settings | **Working Mode by Source Address** | Web Pages to Run in SNI Mode | Web Pages to Work in Certificate Change Mode

Default Mode: Change Certificate Reload Add

MLS CSV PDF
Show/Hide
Records Per Page:
OK Filter Reset Filter

#	Status	Source Address	HTTPS Inspection Mode	Description	Transactions
◀ ▶ ⏪ ⏩					

Go

Default Mode	Description
SNI	It will open with certificate belong on the Web page. HTTPS service can be opened by activating this feature.
Change Certificate	Instead in the web page certificate, it will open with certificate belong on the Epati Information Techolonigies.
Disable	Mode in which all settings are disabled. If this feature is activated, the HTTPS service should not be open.

Web Pages to Run in SNI Mode

Pages requested to be opened with the certificate of Web page should be added to this page.

Description

It is communicated with the original certificate without changing the SSL Certificate of domains defined as SNI. For this reason, SSL traffic can not be deciphered and drilled in the related domains. It may be filtered with respect to domains. This feature should be used on sites such as banks which contain critical data and may lead to the violation of privacy policies.

Connection Settings Working Mode by Source Address Web Pages to Run in SNI Mode Web Pages to Work in Certificate Change Mode

Refresh Add

XLS CSV PDF

Show/Hide Records Per Page OK Filter Reset Filter

#	Status	Domain Name	Description	Transactions
1	Active	akbank.com	Akbank T.A.Ş	Edit Delete
2	Active	aktifbank.com.tr	Aktif Yatırım Bankası A.Ş	Edit Delete
3	Active	abank.com.tr	Alternatifbank A.Ş	Edit Delete
4	Active	anadolubank.com.tr	Anadolubank A.Ş	Edit Delete
5	Active	atbank.com.tr	Arap Türk Bankası A.Ş	Edit Delete
6	Active	mellatbank.com	Bank Mella	Edit Delete
7	Active	tu.bk.mufg.jp	Bank of Tokyo-Mitsubishi UJ Turkey A.Ş	Edit Delete
8	Active	adabank.com.tr	Adabank A.Ş	Edit Delete
9	Active	bankpozitif.com.tr	BankPozitif Kredi ve Kalkınma Bankası A.Ş	Edit Delete
10	Active	fonbank.com.tr	Birleşik Fon Bankası A.Ş	Edit Delete
11	Active	burgan.com.tr	Burgan Bank A.Ş	Edit Delete
12	Active	citibank.com.tr	Citibank A.Ş	Edit Delete
13	Active	denizbank.com	Denizbank A.Ş	Edit Delete
14	Active	db.com.tr	Deutsche Bank A.Ş	Edit Delete

Web Pages to Work in Certificate Change Mode

If the web page is requested to use the certificate of Epati Information Technologies instead of the certificate it has, it should be added to this page.

Description

It is communicated with the original certificate without changing the SSL Certificate of domains defined as SNI. For this reason, SSL traffic can not be deciphered and drilled in the related domains. It may be filtered with respect to domains. This feature should be used on sites such as banks which contain critical data and may lead to the violation of privacy policies.

Connection Settings Working Mode by Source Address Web Pages to Run in SNI Mode Web Pages to Work in Certificate Change Mode

Refresh Add

XLS CSV PDF

Show/Hide Records Per Page OK Filter Reset Filter

#	Status	Domain Name	Description	Transactions
---	--------	-------------	-------------	--------------

< >

Go

ePati Cyber Security Technologies Inc.
Mersin Universitesi Ciftlikkoy Kampusu
Teknopark Idari Binasi Kat: 4 No: 411
Zip Code: 33343 Yenisehir / MERSIN / TURKIYE

www.epati.com.tr
info@epati.com.tr
+90 324 361 02 33
+90 324 361 02 39

