

epati


Access without NAT

Product: Antikor v2 - Next Generation Firewall
Configuration Examples

Access without NAT


Servers are given a real IP address. In this case, if the port is not open to the DMZ Access control, all ports become open, when a port is added only the open ports become active and others become closed.

Network Topology



Configuration

Firstly, click DMZ Server Management under the DMZ Management menu.



In DMZ Server Management page, new register can be created or can arranged.

DMZ Server Management - New Record ×

Status Active

DMZ Type Access without NAT ▼

Address Family IPv4 IPv6

DMZ IP Address IPv4

Description

Cancel Save

If ports are added to accesses, all ports on this server will be open for access.

#	Status	DMZ IP Address	External IP Address	DMZ Type	Description	Transactions
1	Active	1.1.1.2		Access without NAT	WEB Server	Edit Delete Accesses

[XLS](#) [CSV](#) [PDF](#)
[Filter](#) [Clear](#)

[«](#) [<](#) [1](#) [>](#) [»](#)

All ports open for access;

#	Status	Port Informations	Allowed Networks	Maximum Number of Connections	Maximum Number of New Connections in 5 Seconds	Description	Transactions
---	--------	-------------------	------------------	-------------------------------	--	-------------	--------------

[XLS](#) [CSV](#) [PDF](#)
[Filter](#) [Clear](#)

[«](#) [<](#) [>](#) [»](#)

To open access to specific ports, before “access” button and later “add” button click.

DMZ Access - New Record



Status

Active

Port Informations

Allowed Networks

Description

Maximum Number of Connections for Per Person

1000

Maximum Number of Connections in 5 Seconds.

100

[Cancel](#)

[Save](#)

ePati Cyber Security Technologies Inc.
 Mersin Universitesi Ciftlikkoy Kampusu
 Teknopark Idari Binasi Kat: 4 No: 411
 Zip Code: 33343 Yenisehir / MERSIN / TURKIYE

www.epati.com.tr
info@epati.com.tr
 +90 324 361 02 33
 +90 324 361 02 39

